

Observer	rver Location Time End Time Total Distand		nce Covered(miles	
Tide Stage Dist	turbance Level	Count Type _	Water Level	
			Dogs# Off-road Vehicles	
ISS Species	Total Count	Accuracy (*,**, or ***)	Accuracy: Please indicate in each block whether your count is: * a true count, ** an extrapolated estimate, or *** a "guesstimate".	
Black-bellied Plover				
Semipalmated Plover				
Piping Plover			Count Type: Stationary= from single	
Killdeer			point, movement <30m; Traveling=over known time and known distance;	
American Oystercatcher			Area=over a known area (hectares or	
Greater Yellowlegs			acres).	
Lesser Yellowlegs				
Yellowlegs Sp.			Disturbance: During this survey, shorebirds were: A=undisturbed,	
Willet			B=disturbed I-2 times, C=3-4 times, D=5-	
Spotted Sandpiper			10 times, E=>10 times, X= unknown	
Ruddy Turnstone				
Red Knot			Tide (coastal sites): 1=high, 2=near	
Sanderling			high&Rising, 3=near high&Falling, 4=half&Risng, 5=half&Fallng, 6=near	
Semipalmated Sandpiper			low&Risng, 7=near low&Fallng, 8=Low,	
Least Sandpiper			9=unknown.	
"Peep"			Material evel (non tidal cites), N=nounce	
Dunlin			Water Level (non-tidal sites): N=normal, H=higher than normal, L=lower than	
Short-billed Dowitcher			normal, X=not observed	
Long-Billed Dowitcher			Site Use: Please keep a count or estimate	
Dowitcher Sp.			of each of the following that you see during	
Additional Shorebird Species:			your survey <u>within the survey area</u> : people, boats, dogs, off-road vehicles.	
			boats, dogs, on-road venicles.	
Tern Species	1		1	
Least Tern				
Common Tern				
Roseate Tern				
Black Skimmer				
			•	

Left Lower Bands

Right Upper Bands

Right Lower Bands

Return form to: LIBCP, 134 Cove Road, Oyster Bay, NY 11771

Left Upper Bands

Please report any banded birds:

Species

I have entered my counts into ISS eBIRD. Please circle one: Yes No